

TWINX2048-3500LLPRO



The TWINX2048-3500LLPRO is a 2GByte matched memory pair specifically designed for motherboards using chipsets with dual memory channels. This memory kit consists of two CMX1024-3500LLPRO memory modules that have been tested together on a current production AMD motherboard at DDR437 (218 MHz) and extremely Low Latency of 2-3-2-6 T1. These TwinX memory kits are designed to provide the ultimate in performance and stability in dual channel boards. As part of Corsair's XMS ProSeries, each module includes the high-efficiency aluminum XMS heatsink, and 18 activity LED's that show the level of memory activity on each bank.




FEATURES

- ▶ 2048 Megabytes of memory
 - Two CMX1024-3500LLPRO memory DIMMs
- ▶ High-efficiency aluminum XMS heatsink
 - 95% greater surface area than standard memory heatspreaders
 - Thermally bonded to the module
- ▶ 18 activity LED's show level of memory activity
- ▶ Benchmarked over multiple chip sets, processors, and motherboards
- ▶ Approximately 1.75" tall x 5.41" long x 0.30" wide; 2.9 oz
- ▶ Lifetime warranty

TEST SPECIFICATIONS

- ▶ Tested as a matched pair in an Asus A8N-SLI Premium at 218MHz
 - Packaged together immediately following system test
- ▶ Tested at Plug and Frag 2-3-2-6-T1 latency settings
- ▶ Dual channel testing environment
- ▶ Tested at DDR437 (218MHz)
- ▶ SPD programmed at advanced 2-3-2-6 values
 - Boots using ultra-low latency values (2-3-2-6-T1)

The Fine Print: Newer motherboards may be used for production test as they become available. Corsair may periodically update the part with newer RAM revisions of same or greater performance. RAM used on the module may change without notice.
© September, 2005 Corsair Memory, Inc.



www.corsairmemory.com
toll free: 888-222-4346
international: 510-657-8747

XMS XTREME MEMORY SPEED